

Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021

1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2026	7	2.176182301
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2026	8	2.188766201
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2026	9	1.501944332
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2026	10	1.235597272
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2026	11	0.888698264
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2026	12	0.558473771
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	1	0.570427742
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	2	0.944236311
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	3	1.515927867
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	4	2.033879999
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	5	2.647065237
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	6	2.36864829
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	7	2.176182301
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	8	2.188766201
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	9	1.501944332
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	10	1.235597272
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	11	0.888698264
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2027	12	0.558473771
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	1	0.570427742
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	2	0.977959036
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	3	1.515927867
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	4	2.033879999
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	5	2.647065237
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	6	2.36864829
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	7	2.176182301
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	8	2.188766201
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	9	1.501944332
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	10	1.235597272
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	11	0.888698264
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2028	12	0.558473771
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	1	0.570427742
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	2	0.944236311
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	3	1.515927867
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	4	2.033879999
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	5	2.647065237
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	6	2.36864829
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	7	2.176182301
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	8	2.188766201
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	9	1.501944332
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	10	1.235597272
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2029	11	0.887345777
1380 MOUNTAIN VIEW III_PCC1_LT_1_RMEA	MTWIND_1_UNIT3	2030	12	0.558473771
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	1	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	2	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	3	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	4	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	5	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	6	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	7	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	8	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	9	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	10	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	11	0
1430 AVCE_RA_1_LF_RMEA	HINSON_6_LBECH1	2021	12	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	1	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	2	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	3	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	4	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	5	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	6	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	7	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	8	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	9	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	10	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	11	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2021	12	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	1	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	2	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	3	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	4	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	5	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	6	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	7	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	8	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	9	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	10	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	11	0
1437 CALPINE_RA_4_BCF_RMEA	LEBEC2_UNITS	2022	12	0
1440 NEXTERA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	1	0
1440 NEXTERA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	2	0

Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021


1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2021	11	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2021	12	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	1	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	2	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	3	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	4	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	5	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	6	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	7	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	8	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	9	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	10	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	11	0
1492 VISTA_RA_1_SSF_RMEA	GATEWY_2_GESBT1	2022	12	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	1	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	2	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	3	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	4	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	5	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	6	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	7	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	8	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	9	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	10	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	11	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2021	12	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	1	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	2	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	3	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	4	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	5	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	6	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	7	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	8	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	9	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	10	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	11	0
1630 CALPINE_RA_5_NSF_RMEA	DELTA_2_PL1X4	2022	12	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	1	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	2	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	3	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	4	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	5	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	6	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	7	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	8	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	9	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	10	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	11	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	12	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	1	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	2	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	3	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	4	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	5	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	6	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	7	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	8	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	9	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	10	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	11	0
1765 CALPINE_RA_13_NS_RMEA	LMEC_1_PL1X3	2022	12	0
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	1	1.488
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	2	1.344
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	3	1.486
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	4	1.968
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	5	2.496
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	6	0
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	7	2.759
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	8	2.821
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	9	2.418
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	10	2.4
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	11	2.144
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	12	2.498
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	1	4.216
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	2	3.136
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	3	3.468
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	4	3.24
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	5	4.092
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	6	3.96
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	7	8.06
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	8	8.06
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	9	5.61
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	10	4.216
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	11	4.085
1802 MSCG_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	12	4.216
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	1	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	2	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	3	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	4	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	5	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	6	0

Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021

1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	7	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	8	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	9	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	10	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	11	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2021	12	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	1	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	2	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	3	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	4	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	5	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	6	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	7	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	8	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	9	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	10	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	11	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2022	12	0
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	1	4.898
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	2	3.976
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	3	3.376
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	4	3.06
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	5	3.844
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	6	5.858
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	7	9.92
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	8	9.92
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	9	8.11
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	10	5.239
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	11	4.265
1803 ExGen_Shaped_2_RMEA	SUPPLIERS_CHOICE	2023	12	4.898
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	1	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	2	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	3	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	4	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	5	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	6	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	7	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	8	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	9	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	10	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	11	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2021	12	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	1	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	2	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	3	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	4	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	5	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	6	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	7	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	8	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	9	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	10	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	11	0.41667
1804 MSCG_PCC2_2_RMEA	UNBUNDLEDREC_CREZ_ARIZONA_SOLAR	2022	12	0.41667
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	1	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	2	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	3	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	4	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	5	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	6	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	7	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	8	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	9	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	10	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	11	0
1909 LCE_CF_1_RMEA	UNSPECIFIED_NON_IMPORT	2021	12	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	1	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	2	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	3	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	4	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	5	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	6	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	7	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	8	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	9	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	10	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	11	0
2030 MCE_RA_2_BAF_RMEA	DELTA_2_PL1X4	2021	12	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	1	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	2	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	3	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	4	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	5	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	6	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	7	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	8	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	9	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	10	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	11	0
2036 CALPINE_RA_15_NSF_RMEA	DELTA_2_PL1X4	2021	12	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	1	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	2	0


Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021

2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	3	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	4	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	5	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	6	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	7	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	8	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	9	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	10	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	11	0
2037 CALPINE_RA_16_BAF_RMEA	DELTA_2_PL1X4	2021	12	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	1	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	2	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	3	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	4	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	5	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	6	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	7	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	8	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	9	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	10	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	11	0
2047 MCE_RA_3_NSF_RMEA	VACADX_1_UNITA1	2021	12	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	7	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	8	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	9	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	10	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	1	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	2	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	3	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	4	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	5	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	6	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	11	0
2048 MCE_RA_4_NSF_RMEA	REDOND_7_UNIT8	2021	12	0
2082 BVES_RA_1_SS_RMEA	CALGEN_1_UNITS	2021	1	0
2082 BVES_RA_1_SS_RMEA	CALGEN_1_UNITS	2021	2	0
2082 BVES_RA_1_SS_RMEA	CALGEN_1_UNITS	2021	3	0
2082 BVES_RA_1_SS_RMEA	CALGEN_1_UNITS	2021	4	0
2082 BVES_RA_1_SS_RMEA	CALGEN_1_UNITS	2021	5	0
2082 BVES_RA_1_SS_RMEA	CALGEN_1_UNITS	2021	11	0
2082 BVES_RA_1_SS_RMEA	CALGEN_1_UNITS	2021	12	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	1	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	2	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	3	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	4	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	5	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	6	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	7	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	8	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	9	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	10	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	11	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	12	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	1	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	2	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	3	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	4	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	5	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	6	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	7	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	8	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	9	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	10	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	11	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	12	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	1	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	2	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	3	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	4	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	5	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	6	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	7	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	8	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	9	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	10	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	11	0
2089 CPA_RA_1_SSF_RMEA	HIDSRT_2_UNITS	2021	12	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	1	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	2	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	3	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	4	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	5	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	6	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	7	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	8	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	9	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	10	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	11	0
2096 CPA_RA_2_SS_RMEA	CALGEN_1_UNITS	2021	12	0
2102 SPI_PCC3_LT_1_RMEA	UNBUNDLEDREC_CREZ_INSTATE_BIOMASS	2021	1	0.49
2102 SPI_PCC3_LT_1_RMEA	UNBUNDLEDREC_CREZ_INSTATE_BIOMASS	2021	2	0.49
2102 SPI_PCC3_LT_1_RMEA	UNBUNDLEDREC_CREZ_INSTATE_BIOMASS	2021	3	0.49




Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021

2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	3	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	4	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	5	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	6	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	7	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	8	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	9	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	10	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	11	0
2196 POMONA_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	12	0
2197 POMONA_RA_3_SS_RMEA	METEC_2_PL1X3	2021	1	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	1	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	2	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	3	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	4	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	5	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	6	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	7	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	8	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	9	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	10	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	11	0
2198 POMONA_RA_3_SSF_RMEA	REDOND_7_UNIT5	2021	12	0
2220 CCSF_RA_1_NSF_RMEA	SUNRIS_2_PL1X3	2021	1	0
2220 CCSF_RA_1_NSF_RMEA	SUNRIS_2_PL1X3	2021	2	0
2220 CCSF_RA_1_NSF_RMEA	SUNRIS_2_PL1X3	2021	11	0
2220 CCSF_RA_1_NSF_RMEA	SUNRIS_2_PL1X3	2021	12	0
2220 CCSF_RA_1_NSF_RMEA	SUNRIS_2_PL1X3	2021	1	0
2220 CCSF_RA_1_NSF_RMEA	SUNRIS_2_PL1X3	2021	2	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	1	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	2	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	3	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	4	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	5	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	6	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	7	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	8	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	9	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	10	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	11	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2021	12	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	1	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	2	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	3	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	4	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	5	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	6	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	7	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	8	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	9	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	10	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	11	0
2228 NRG_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	12	0
2241 NCPA_RA_1_NSF_RMEA	SUNRIS_2_PL1X3	2021	5	0
2292 CPA_RA_3_NSF_RMEA	REDOND_7_UNIT8	2021	9	0
2292 CPA_RA_3_NSF_RMEA	REDOND_7_UNIT8	2021	4	0
2292 CPA_RA_3_NSF_RMEA	REDOND_7_UNIT8	2021	9	0
2292 CPA_RA_3_NSF_RMEA	REDOND_7_UNIT8	2021	11	0
2292 CPA_RA_3_NSF_RMEA	REDOND_7_UNIT8	2021	9	0
2299 CPA_RA_4_SS_RMEA	HIDSRT_2_UNITS	2021	4	0
2299 CPA_RA_4_SS_RMEA	HIDSRT_2_UNITS	2021	9	0
2299 CPA_RA_4_SS_RMEA	HIDSRT_2_UNITS	2021	11	0
2349 LCE_RA_5_SS_RMEA	MRCHNT_2_PL1X3	2021	7	0
2349 LCE_RA_5_SS_RMEA	MRCHNT_2_PL1X3	2021	8	0
2349 LCE_RA_5_SS_RMEA	MRCHNT_2_PL1X3	2021	9	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	1	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	2	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	3	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	4	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	5	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	6	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	7	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	8	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	9	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	10	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	11	0
2372 CALPINE_RA_17_NS_RMEA	METEC_2_PL1X3	2021	12	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	1	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	2	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	3	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	4	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	5	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	6	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	7	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	8	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	9	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	10	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	11	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2023	12	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	1	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	2	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	3	0



Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021

2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	4	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	5	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	6	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	7	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	8	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	9	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	10	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	11	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2024	12	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	1	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	2	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	3	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	4	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	5	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	6	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	7	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	8	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	9	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	10	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	11	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2025	12	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	1	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	2	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	3	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	4	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	5	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	6	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	7	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	8	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	9	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	10	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	11	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2026	12	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	1	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	2	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	3	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	4	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	5	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	6	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	7	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	8	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	9	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	10	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	11	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2027	12	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	1	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	2	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	3	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	4	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	5	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	6	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	7	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	8	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	9	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	10	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	11	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2028	12	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	1	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	2	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	3	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	4	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	5	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	6	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	7	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	8	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	9	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	10	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	11	0
2372 CALPINE_RA_17_NS_RMEA	LMBEPK_2_UNITA2	2022	12	0
2424 MCE_RA_5_BC_RMEA	BGSKYN_2_AS2SR1	2021	1	0
2424 MCE_RA_5_BC_RMEA	BGSKYN_2_AS2SR1	2021	2	0
2424 MCE_RA_5_BC_RMEA	BGSKYN_2_AS2SR1	2021	3	0
2424 MCE_RA_5_BC_RMEA	BGSKYN_2_AS2SR1	2021	4	0
2424 MCE_RA_5_BC_RMEA	BGSKYN_2_AS2SR1	2021	5	0
2424 MCE_RA_5_BC_RMEA	BGSKYN_2_AS2SR1	2021	6	0
2429 SJR_RA_1_SSF_RMEA	HINSON_6_LBECH1	2021	1	0
2480 PRIME_RA_1_NS_RMEA	METEC_2_PL1X3	2021	2	0
2486 EBCE_RA_3_SS_RMEA	VOYAGR_2_VOYWD2	2021	3	0
2487 EBCE_RA_1_SS_RMEA	HINSON_6_LBECH1	2021	3	0
2487 EBCE_RA_1_SS_RMEA	HINSON_6_LBECH1	2021	3	0
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	1	1.891
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	2	1.148
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	3	1.361
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	4	0
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	5	2.356
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	6	2.37
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	7	2.759
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	8	2.759
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	9	2.01
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	10	2.294
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	11	2.493
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2021	12	2.232



Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021


2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	1	1.488
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	2	1.176
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	3	1.331
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	4	1.35
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	5	1.395
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	6	2.76
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	7	3.596
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	8	3.596
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	9	2.76
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	10	1.829
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	11	1.772
2493 Direct_Shaped_5_RMEA	UNSPECIFIED_NON_IMPORT	2022	12	1.364
2519 EXELON_RA_2_SS_RMEA	OMAR_2_UNIT4	2021	7	0
2527 EDFNA_RA_2_NS_RMEA	METEC_2_PL1X3	2021	1	0
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	1	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	2	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	3	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	4	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	5	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	6	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	7	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	8	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	9	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	10	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	11	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2021	12	0.333333
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	1	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	2	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	3	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	4	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	5	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	6	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	7	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	8	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	9	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	10	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	11	0.166667
2532 3PR_PCC2_4_RMEA	SUPPLIERS_CHOICE	2022	12	0.166667
2538 Direct_Shaped_6_RMEA	UNSPECIFIED_NON_IMPORT	2021	1	1.218
2538 Direct_Shaped_6_RMEA	UNSPECIFIED_NON_IMPORT	2021	2	1.08
2538 Direct_Shaped_6_RMEA	UNSPECIFIED_NON_IMPORT	2021	3	1.394
2560 MCE_RA_6_NS_RMEA	MKTRCK_1_UNIT1	2022	5	0
2560 MCE_RA_6_NS_RMEA	MKTRCK_1_UNIT1	2022	6	0
2560 MCE_RA_6_NS_RMEA	MKTRCK_1_UNIT1	2022	7	0
2560 MCE_RA_6_NS_RMEA	MKTRCK_1_UNIT1	2022	8	0
2560 MCE_RA_6_NS_RMEA	MKTRCK_1_UNIT1	2022	9	0
2560 MCE_RA_6_NS_RMEA	MKTRCK_1_UNIT1	2022	10	0
2560 MCE_RA_6_NS_RMEA	MKTRCK_1_UNIT1	2022	11	0
2560 MCE_RA_6_NS_RMEA	MKTRCK_1_UNIT1	2022	12	0
2567 CCSF_RA_2_NS_RMEA	SUNRIS_2_PL1X3	2021	3	0
2603 MCE_RA_7_SS_RMEA	HIDSRT_2_UNITS	2021	4	0
2605 LCE_RA_6_LF_RMEA	HINSON_6_LBECH1	2021	4	0
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	2	0
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	3	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	4	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	5	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	6	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	7	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	8	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	9	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	10	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	11	1.5
2619 Calpine_PCC1_2_RMEA	SUPPLIERS_CHOICE	2021	12	1.5
2626 NRG_RA_4_NS_RMEA	METEC_2_PL1X3	2021	3	0
2644 PIONEER_RA_2_NSF_RMEA	SUNRIS_2_PL1X3	2021	5	0
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	3	1.749
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	4	2.104
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	5	1.9
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	6	2.592
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	7	2.43
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	8	2.253
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	9	1.389
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	10	1.621
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	11	1.173
2654 MSCG_Shaped_3_RMEA	SUPPLIERS_CHOICE	2021	12	1.237
2669 CALPINE_RASub_18_NS_RMEA	METEC_2_PL1X3	2021	3	0
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	1	1.531
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	2	1.26
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	3	1.363
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	4	1.65
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	5	2.086
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	6	2.408
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	7	3.342
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	8	3.182
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	9	2.376
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	10	1.987
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	11	1.533
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2022	12	1.664
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2023	1	3
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2023	2	2.32
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2023	3	2.492
2671 ExGen_Shaped_3_RMEA	SUPPLIERS_CHOICE	2023	4	2.69

Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021

2687 Manzana_PCC1_1_LT_RMEA	MANZNA_2_WIND	2030	8	1.292
2687 Manzana_PCC1_1_LT_RMEA	MANZNA_2_WIND	2030	9	1.292
2687 Manzana_PCC1_1_LT_RMEA	MANZNA_2_WIND	2030	10	1.292
2687 Manzana_PCC1_1_LT_RMEA	MANZNA_2_WIND	2030	11	1.292
2687 Manzana_PCC1_1_LT_RMEA	MANZNA_2_WIND	2030	12	1.301
2720 LCE_RA_7_SS_RMEA	HINSON_6_LBECH1	2021	9	0
2725 MCE_RA_8_BC_RMEA	BGSKYN_2_AS2SR1	2021	7	0
2725 MCE_RA_8_BC_RMEA	BGSKYN_2_AS2SR1	2021	8	0
2725 MCE_RA_8_BC_RMEA	BGSKYN_2_AS2SR1	2021	9	0
2725 MCE_RA_8_BC_RMEA	BGSKYN_2_AS2SR1	2021	10	0
2725 MCE_RA_8_BC_RMEA	BGSKYN_2_AS2SR1	2021	11	0
2735 MCE_RA_9_SS_RMEA	BGSKYN_2_AS2SR1	2021	8	0
2747 CALPINE_RA_19_NS_RMEA	GENERIC_BRANCH_MALIN500_ISL	2021	7	0
2747 CALPINE_RA_19_NS_RMEA	GENERIC_BRANCH_MALIN500_ISL	2021	8	0
2747 CALPINE_RA_19_NS_RMEA	GENERIC_BRANCH_MALIN500_ISL	2021	9	0
2782 AVCE_RA_3_SS_RMEA	TEHAPI_2_PW2WD2	2021	7	0
2782 AVCE_RA_3_SS_RMEA	VOYAGR_2_VOAWD5	2021	7	0
2786 MSCG_Shaped_4_RMEA	SUPPLIERS_CHOICE	2021	5	0.875
2786 MSCG_Shaped_4_RMEA	SUPPLIERS_CHOICE	2021	6	1.716
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	1	1.871
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	2	1.62
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	3	1.841
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	4	2.33
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	5	2.493
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	6	3.242
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	7	3.81
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	8	4.207
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	9	2.96
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	10	2.537
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	11	2.102
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2023	12	1.827
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	1	2.918
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	2	2.483
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	3	2.603
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	4	2.96
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	5	3.295
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	6	4.42
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	7	5.963
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	8	6.194
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	9	4.56
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	10	3.603
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	11	3.104
2796 ExGen_Shaped_4_RMEA	SUPPLIERS_CHOICE	2024	12	2.936
2800 CALPINE_RA_20_BC_RMEA	LEBEC5_2_UNITS	2021	12	0
2833 MCE_RA_10_SS_RMEA	HINSON_6_LBECH1	2021	9	0
2842 Direct_Shaped_7_RMEA	UNSPECIFIED_NON_IMPORT	2021	6	1.44
2842 Direct_Shaped_7_RMEA	UNSPECIFIED_NON_IMPORT	2021	7	1.403
2842 Direct_Shaped_7_RMEA	UNSPECIFIED_NON_IMPORT	2021	8	2.877
2842 Direct_Shaped_7_RMEA	UNSPECIFIED_NON_IMPORT	2021	9	0.771
2842 Direct_Shaped_7_RMEA	UNSPECIFIED_NON_IMPORT	2021	10	0.631
2941 SCP_RA_2_SS_RMEA	TEHAPI_2_PW2WD2	2021	8	0
2941 SCP_RA_2_SS_RMEA	TEHAPI_2_PW2WD2	2021	8	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	1	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	2	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	3	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	4	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	5	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	10	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	11	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	12	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	1	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	2	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	3	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	4	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	5	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	10	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	11	0
2945 SCP_RA_3_NSF_RMEA	SUNRIS_2_PL1X3	2022	12	0
2952 CPA_RA_5_NS_RMEA	ELKHIL_2_PL1X3	2021	8	0
2960 TEMUS_OnPeak_1_RMEA	SUPPLIERS_CHOICE	2021	6	0.96
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	1	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	2	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	3	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	4	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	5	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	6	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	7	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	8	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	9	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	10	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	11	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2022	12	0.25
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	1	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	2	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	3	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	4	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	5	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	6	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	7	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	8	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	9	0.833
2971 Powerex_PCC2_1_RMEA	SUPPLIERS_CHOICE	2023	10	0.833

Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021

3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	4	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	5	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	6	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	7	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	8	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	9	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	10	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	11	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2028	12	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	1	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	2	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	3	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	4	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	5	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	6	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	7	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	8	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	9	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	10	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	11	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2029	12	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	1	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	2	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	3	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	4	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	5	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	6	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	7	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	8	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	9	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	10	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	11	0.25
3007 Powerex_PCC1_LT_1_RMEA	SUPPLIERS_CHOICE	2030	12	0.25
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	1	1.147
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	2	1.024
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	3	1.106
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	4	2.139
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	5	2.304
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	6	3.164
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	7	2.881
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	8	3.626
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	9	2.226
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	10	2.213
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	11	1.502
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2022	12	1.221
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	1	3.662
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	2	3.129
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	3	3.256
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	4	3.746
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	5	4.15
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	6	5.49
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	7	7.402
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	8	7.868
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	9	5.76
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	10	4.502
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	11	3.785
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2024	12	3.659
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	1	4.41
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	2	3.62
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	3	3.957
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	4	4.584
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	5	5.032
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	6	6.618
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	7	8.838
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	8	9.387
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	9	6.969
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	10	5.431
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	11	4.577
3026 Direct_Shaped_8_RMEA	UNSPECIFIED_NON_IMPORT	2025	12	4.459
3035 TGP_PCC1_1_RMEA	SUPPLIERS_CHOICE	2021	8	2
3035 TGP_PCC1_1_RMEA	SUPPLIERS_CHOICE	2021	9	2
3035 TGP_PCC1_1_RMEA	SUPPLIERS_CHOICE	2021	10	2
3035 TGP_PCC1_1_RMEA	SUPPLIERS_CHOICE	2021	11	2
3035 TGP_PCC1_1_RMEA	SUPPLIERS_CHOICE	2021	12	2
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	1	2.397
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	2	1.94
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	3	2.452
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	4	3.13
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	5	3.308
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	6	4.366
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	7	5.034
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	8	5.656
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	9	3.97
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	10	3.365
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	11	2.775
3039 ExGen_Shaped_5_RMEA	SUPPLIERS_CHOICE	2023	12	2.394
3043 PRIME_RA_2_NS_RMEA	METEC_2_PL1X3	2021	6	0
3064 POMONA_RA_4_NS_RMEA	METEC_2_PL1X3	2021	10	0
3065 SBCE_RA_1_NS_RMEA	METEC_2_PL1X3	2021	10	0
3065 SBCE_RA_1_NS_RMEA	METEC_2_PL1X3	2021	11	0
3065 SBCE_RA_1_NS_RMEA	METEC_2_PL1X3	2021	12	0
3066 SBCE_RA_1_SS_RMEA	CALGEN_1_UNITS	2021	10	0



Rancho Mirage Energy Authority
Resource Data Template Version 2 (RDTv2)
September 1, 2021

3066 SBCE_RA_1_SS_RMEA

CALGEN_1_UNITS

2021

11

0

